1. Identification

| PRODUCT NAME: | Scrub HD | PRODUCT CODE: | 1500 to 1509 |
|---------------|---|---------------------|--|
| USE: | Heavy duty cleaner for ovens and fryers. | RESTRICTIONS: | All other uses than those indicated on the product label and technical data sheet. |
| MANUFACTURER: | Allspar Solutions Inc. 150 Connie Crescent, Unit 12 Concord, ON L4K 1L9 (905) 760-1964 | SUPPLIER: | BAY CITY SANITATION 189 Brock Street Barrie, ON. L4N 2M3 Phone: (705) 728-4332 Fax: (705) 728-4335 |
| | EMERGENCY TELEPHONE NUM | MBER: CANUTEC - (61 | 3) 996-6666 |

2. Hazard Identification

| HAZARD CLASSIFICATION: | GHS05 |
|------------------------|---|
| LABEL ELEMENTS: | |
| SYMBOL: | |
| SIGNAL WORD: | Danger |
| HAZARD STATEMENT: | H290: May be corrosive to metals |
| | H315: Causes skin irritation |
| | H319: Causes serious eye irritation. |
| PRECAUTIONARY | P260 Do not breathe dust, fume, gas, mist, vapours or spray. |
| STATEMENT: | P280 Wear protective gloves and eye or face protection. |
| | P264 Wash thoroughly after handling. |
| | P303+P361+P353 IF ON SKIN OR HAIR: Remove or take off immediately all contaminated clothing. Rinse skin with water. |
| | P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| | P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P363 Wash contaminated clothing before reuse. |
| | P390 Absorb spillage to prevent material damage. |
| | P301+P330+P331+P310 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or a doctor. |
| | P405 Store locked up. |
| | P406 Store in corrosive resistant container or a container with a corrosion resistant inner liner. |
| | P501 Dispose of contents and container in accordance with local, regional and national regulations. |

Date: Nov. 27, 18

OTHER HAZARDS: None.

3. COMPOSITION / INFORMATION ON INGREDIENTS

| CHEMICAL NAME | COMMON NAME | CAS REGISTRY | CONCENTRATION |
|--|----------------|--------------|---------------|
| Potassium Hydroxide | Caustic Potash | 1310-58-3 | 10 - 30 % |
| For production reasons a range is given. There are no additional ingredients present which, within the current | | | |
| knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment | | | |
| and hence require reporting in this section NOTE: Confidential business information rules can apply. | | | |

4. FIRST-AID MEASURES

| FIRST-AID MEASURES BY ROUTE | OF EXPOSURE: |
|---|---|
| INHALATION: | If inhaled, remove from contaminated area to fresh air immediately. Apply artificial respiration if not breathing. If breathing is difficult, give oxygen. Immediately obtain medical aid if cough or other symptoms appear. |
| SKIN CONTACT: | Wash affected areas with copious quantities of water immediately. Remove contaminated clothing and wash before re-use. Seek urgent medical assistance. |
| EYE CONTACT: | If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Seek immediate medical assistance. |
| INGESTION: | Rinse mouth thoroughly with water immediately. Give water to drink. DO NOT induce vomiting. If vomiting occurs, give further water to achieve effective dilution and lean the victim forward to reduce risk of aspiration. Seek immediate medical assistance. |
| MOST IMPORTANT SYMPTOMS AND EFFECTS (ACUTE OR DELAYED): | Treat symptomatically as for strong alkalis. Burns are not immediately painful, onset of pain may be minutes to hours. |
| IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT IF NECESSARY: | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested. |

5. FIRE-FIGHTING MEASURES

| SUITABLE EXTINGUISHING MEDIA: | CO2, sand, extinguishing powder for surrounding fire. |
|-----------------------------------|---|
| UNSUITABLE EXTINGUISHING MEDIA: | NAV |
| SPECIFIC HAZARDS ARISING FROM THE | In case of accidental fire and extreme heat conditions, the following |
| HAZARDOUS PRODUCT: | gaseous products can be released after water evaporation: hydrocarbons, carbon monoxides and dioxides (COx) and nitrogen dioxide (NOx). |
| SPECIAL PROTECTIVE EQUIPMENT AND | No special measures required |
| PRECAUTIONS FOR FIREFIGHTERS: | |
| ADDITIONAL INFORMATION: | This product is not flammable |

Date: Nov. 27, 18

6. ACCIDENTAL RELEASE MEASURES

| PERSONAL PRECAUTIONS, PROTECTIVE | Wear recommended protective equipment(s). Keep unprotected |
|-------------------------------------|---|
| EQUIPMENT AND EMERGENCY PROCEDURES: | persons away. |
| METHODS AND MATERIALS FOR | SMALL SPILL: Stop leak if without risk. Move containers from spill |
| CONTAINMENT AND CLEANING UP: | area. Dilute with water and mop up. Alternatively absorb with an |
| | inert dry material and place in an appropriate waste disposal |
| | container. Dispose of via a licensed waste disposal contractor. |
| | LARGE SPILL: Stop leak if without risk. Move containers from spill |
| | area. Approach release from upwind. Prevent entry into sewers, |
| | water courses, basements or confined areas. Wash spillages into an |
| | effluent treatment plant or proceed as follows. Contain and collect |
| | spillage with non-combustible, absorbent material e.g. sand, earth, |
| | vermiculite or diatomaceous earth and place in container for |
| | disposal according to local regulations (see Section 13). The spilled |
| | material may be neutralized vinegar or citric acid. Dispose of via a |
| | licensed waste disposal contractor. Contaminated absorbent |
| | material may pose the same hazard as the spilled product. Note: see |
| | Section 1 for emergency contact information and Section 13 for |
| | waste disposal. |

7. HANDLING AND STORAGE

| PRECAUTIONS FOR SAFE HANDLING: | Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapour or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from acids and oxidizers. Empty containers retain product residue and can be hazardous. Do not reuse container. When diluting or preparing solution, add caustic to water slowly in small amounts to avoid boiling and splattering. Never use hot water! |
|----------------------------------|--|
| CONDITIONS FOR SAFE STORAGE | Store in accordance with local regulations. Store in original container |
| INCLUDING INCOMPATIBLE MATERIAL: | protected from direct sunlight in a dry, cool and well-ventilated area, away |
| | from incompatible materials (see Section 10) and food and drink. |
| | Containers that have been opened must be carefully resealed and kept |
| | upright to prevent leakage. Do not store in unlabeled containers. Use |
| | appropriate containment to avoid environmental contamination. |
| | Corrosive to aluminum, tin, copper and zinc. Corrosive to steel at elevated |
| | temperatures |
| | temperatures |

Date: Nov. 27, 18

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

| CONTROL PARAMETERS, INCLUDING OC | CUPATIONAL EXPOSURE GUIDELINES OR BIOLOGICAL EXPOSURE LIMITS AND |
|----------------------------------|---|
| THE SOURCE OF THOSE VALUES: | |
| | |
| APPROPRIATE ENGINEERING | In industrial situations maintain the concentrations values below the TWA. |
| CONTROLS: | This may be achieved by process modification, use of local exhaust |
| | ventilation, capturing substances at the source, or other methods. |
| INDIVIDUAL PROTECTION MEASURES | Avoid contact with the eyes and skin. Do not breathe dust, fume, gas, mist, |
| (E.G. PERSONAL PROTECTIVE | vapours or spray. Immediately remove all soiled and contaminated clothing. |
| EQUIPMENT): | Wash hands before breaks and at the end of work. Keep away from |
| | foodstuffs, beverages and feed. |
| | Breathing equipment: Where ventilation is not adequate, respiratory |
| | protection may be required. Avoid breathing dust, vapours or mists. |
| | Respiratory protection should comply with AS 1716 - Respiratory Protective |
| | Devices and be selected in accordance with AS 1715 - Selection, Use and |
| | Maintenance of Respiratory Protective Devices. Filter capacity and respirator |
| | type depends on exposure levels. In event of emergency or planned entry |
| | into unknown concentrations a positive pressure, full-face piece SCBA should |
| | be used. If respiratory protection is required, institute a complete respiratory |
| | protection program including selection, fit testing, training, maintenance and |
| | inspection. |
| | Protection of hands: Hand protection should comply with AS 2161, |
| | Occupational protective gloves - Selection, use and maintenance. Avoid skin |
| | contact when removing gloves from hands, do not touch the gloves outer |
| | surface. Dispose of gloves as hazardous waste. |
| | Eye protection: The use of a face shield, chemical goggles or safety glasses |
| | with side shield protection as appropriate. Must comply with Australian |
| | Standards AS 1337 and be selected and used in accordance with AS 1336 |
| | Body protection: Clean clothing or protective clothing should be worn, |
| | preferably with and apron. Clothing for protection against chemicals should |
| | comply with AS 3765 Clothing for Protection Against Hazardous Chemicals. |

9. PHYSICAL AND CHEMICAL PROPERTIES

| APPEARANCE | Dark Red | РН | 13.0 (+/- 0.5) |
|-----------------------|----------|-----------------------|-------------------|
| ODOUR | Neutral | ODOUR THRESHOLD | NAV |
| MELTING POINT | NAV | FREEZING POINT | ~ 0°C |
| INITIAL BOILING POINT | ~ 100°C | FLASH POINT | NAP |
| EVAPORATION RATE | NAV | FLAMMABILITY | NAP |
| LOWER FLAMMABLE LIMIT | NAP | UPPER FLAMMABLE LIMIT | NAP |
| VAPOUR PRESSURE | NAV | VAPOUR DENSITY | NAV |
| RELATIVE DENSITY | 1.20 | SOLUBILITY | Complete in water |
| PARTITION COEFFICIENT | NAV | AUTO-IGNITION | NAP |
| | | TEMPERATURE | |
| DECOMPOSITION | NAV | VISCOSITY | 500 cps |

Date: Nov. 27, 18

TEMPERATURE

10. STABILITY AND REACTIVITY

| REACTIVITY: | No specific test data related to reactivity available for this product or its ingredients. |
|-------------------------------------|---|
| CHEMICAL STABILITY: | The product is stable. |
| POSSIBILITY OF HAZARDOUS REACTIONS: | Contact with water, acids, flammable liquids, and organic halogen compounds (i.e. trichloroethylene) may risk of explosion or violent reaction, yielding heat and pressure which can burst an enclosed container. Contact with nitro compounds (i.e. nitromethane) can cause formation of shock sensitive salts. Contact with metals (i.e. aluminium, zinc, copper, magenisum, etc.), may produce formation of flammabe hydrogen gas. Exothermic dissolution. |
| CONDITIONS TO AVOID: | Exposure to moisture. Heat, flames, ignition sources and incompatibles. |
| INCOMPATIBLE MATERIALS: | Acids, azides, ammonium compounds, anyhydride compounds, copper, chloro organic compounds, flammable liquids, halogens, halogenated compounds, magnesium, metals and light metals, maleic anhydride, nitro compounds, organic materials, organohalogen compounds, water. |
| HAZARDOUS DECOMPOSITION PRODUCTS: | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

11. TOXICOLOGICAL INFORMATION

| al, Dermal, Inhalation. | | |
|--|--|--|
| | | |
| Value | | |
| | | |
| LD50 (Oral) | 333 mg/kg (rat) | |
| | | |
| | | |
| | | |
| | | |
| | | |
| O THE PHYSICAL, CHEMICAL AND TOXICOL | OGICAL CHARACTERISTICS: | |
| Extremely corrosive. May cause severe but | ns with deep ulceration. Burns are not immediately | |
| | | |
| | | |
| Extremely corrosive. May penetrate deeply, causing severe burns. In severe cases, ulceration | | |
| · · · · · · · · · · · · · · · · · · · | | |
| Harmful if swallowed. Ingestion of flakes or pellets varies in degree of irritation depending on | | |
| exposure. May cause violent pain in throat | , vomiting, diarrhea, hematemesis, collapse and | |
| possible death. May cause perforation and | burns of the digestive tract (oesophagus and | |
| stomach). If not immediately fatal, strictur | e of esophagus may develop. | |
| No sensitizing effects known | | |
| IATE EFFECTS, AND CHRONIC EFFECTS FROM | A SHORT-TERM AND LONG-TERM EXPOSURE: | |
| contact can cause eczema and inflammatior | of the skins as a results of degreasing. | |
| DGICAL INFORMATION: The product shows | the following dangers according to approved | |
| | Value LD50 (Oral) TO THE PHYSICAL, CHEMICAL AND TOXICOL Extremely corrosive. May cause severe bur painful, onset of pain may be minutes to h Extremely corrosive. May penetrate deeply and permanent blindness may occur. Harmful if swallowed. Ingestion of flakes o exposure. May cause violent pain in throat possible death. May cause perforation and stomach). If not immediately fatal, strictur No sensitizing effects known IATE EFFECTS, AND CHRONIC EFFECTS FROM contact can cause eczema and inflammation | |

Date: Nov. 27, 18

calculation methods for preparations: Irritant **CARCINOGENIC CATEGORIES:** None of the ingredients are listed General : No known significant effects or critical hazards. Carcinogenicity : No known significant effects or critical hazards. Mutagenicity : No known significant effects or critical hazards. Teratogenicity : No known significant effects or critical hazards. Developmental effects : No known significant effects or critical hazards. Fertility effects : No known significant effects or critical hazards.

12. ECOLOGICAL INFORMATION

| Chemical name / Nom du produit chimique | Means of exposure / Moyens d'expositions | Value / Valeur |
|---|---|----------------|
| | | |

Potassium Hydroxide

LC50 (Mosquito fish

Gambusia affinis): 80 mg/l/96h

| ΕCOTOXICITY | No further information available | |
|-------------------------------|---|--|
| PERSISTENCE AND DEGRADABILITY | Not available. | |
| BIOACCUMULATIVE POTENTIAL | Not available. | |
| MOBILITY IN SOIL | No further relevant information available. | |
| OTHER ADVERSE EFFECTS | No known significant effects or critical hazards. | |

13. DISPOSAL CONSIDERATIONS

Waste treatment methods:

Recommendation: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Uncleaned packagings: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. **Recommendation:** Disposal must be made according to official regulations.

Recommended cleansing agent: Water.

14. TRANSPORT INFORMATION

| UN NUMBER | 1813 |
|----------------------------|--------------------------|
| UN PROPER SHIPPING NAME | POTASSIUM HYDROXIDE SOL. |
| TRANSPORT HAZARD CLASS(ES) | 8 |
| PACKING GROUP | 11 |

Date: Nov. 27, 18

| ENVIRONMENTAL HAZARDS | NAP |
|----------------------------------|-----|
| TRANSPORT IN BULK, IF APPLICABLE | NAV |
| SPECIAL PRECAUTIONS | NAV |

15. REGULATORY INFORMATION

| SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS SPECIFIC TO THE PRODUCT | | |
|--|---|--|
| United States inventory (TSCA 8b) | All components are listed or exempted. | |
| WHMIS (Canada) | Class D-1B: Material causing immediate and serious toxic effects (Toxic). Class E: Corrosive material | |

16. OTHER INFORMATION

| Date of latest revision: | Nov. 27, 18 |
|---|--|
| To the best of our knowledge, the information contained herein is ac subsidiaries assumes any liability whatsoever for the accuracy or co determination of suitability of any material is the sole responsibility of be used with caution. Although certain hazards are described herei Allspar Solutions Inc. expressly disclaims all expressed or implied w respect to the product provided. | mpleteness of the information contained herein. Final of the user. All materials may present unknown hazards and should n, we cannot guarantee that these are the only hazards that exist. |

END OF SDS.